

Medela Surgical and Wound Care Accessories



Product range and areas of use

Medela products comply with international industry standards: ISO 9001 and ISO 13485 as well as the American Good Manufacturing Practice (GMP) guidelines. Our products are CE marked in accordance with the Medical Device Directive 93/42/EEC.

Hyperlinks in the chart below guide you directly to the product section on our homepage.



Contents

| Clario | |
|-----------------------------------------------------|----|
| Clario Toni | |
| Vario 18 and Vario 18 c/i | |
| Basic | |
| Dominant Flex | |
| Thopaz+ | |
| Invia Liberty, Invia Motion and Invia Dressing Kits | |
| Medela DCS | |
| Medela RCS | |
| Medela VAD | |
| Tubings | |
| Filters | |
| Connections | 22 |

Symbols



This symbol indicates a single use device. Do not reuse the device.



Autoclavable



Not autoclavable – cleaning in a cleaning and disinfecting machine recommended

Clario



The **Clario** system is ideal for airway suctioning at home, on the road or in the clinic. Easy to use and highly mobile. Once chosen, the vacuum will remain at this level. Suction also starts immediately, due to the unique, small canister size. Quiet operation and a sleek, subtle appearance allow discrete use in public, while the lightweight and portable design give users freedom in and outside home.

Vacuum settings:

min. - 18 kPa - 135 mmHg med. - 36 kPa - 270 mmHg max. - 80 kPa - 600 mmHg

Flow:

15 l/min.

General Accessories

074.0001

Canister set



For collecting secretions when using the Clario pump

- Set for Clario with canister 0.51, lid with plugs and floater



074.0002

SafetyChamber



For vacuum regulation

- SafetyChamber for Clario with vacuum regulator knob and 2 valve discs



074.0003

Disposable suction tubing with fingertip, sterile



Attaches suction catheter to pump for suctioning purposes

- PVC

- Length $150\,\mathrm{cm}$, CH 25, sterile



074.0007

SoftCase carrying bag



For safe transportation of a home care pump and accessories

With 2 carrying straps for attachment to a wheelchair or as a backpack and handle

074.0017

Car connection cable



For operating the Clario AC/DC pump in the car

- 12V DC cable

Clario Toni

The Clario for the Little Ones



Just the right paediatric care – easy to use, effective and highly mobile for airway suctioning at home, on the road or in the clinic. The pre-set vacuum levels meet the AARC guidelines for fast and safe paediatric and adult airway suctioning.

| Vacuum settings: | | | Flow: |
|------------------|----------|------------|----------|
| min. | – 9 kPa | – 70 mmHg | 15 l/min |
| med. | – 15 kPa | – 150 mmHg | |
| max. | – 80 kPa | – 600 mmHg | |

General Accessories

| 074.0001 | Canister set | |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| | For collecting secretions when using the Clario pump – Set for Clario with canister 0.51, lid with plugs and floater | AUTOCLAVE |
| 074.0002 | SafetyChamber Clario Toni | |
| Tom | For vacuum regulation - SafetyChamber for Clario Toni with vacuum regulator knob and 2 valve discs | AUTOCLAVE |
| 074.0003 | Disposable suction tubing with fingertip, sterile | |
| | Attaches suction catheter to pump for suctioning purposes – PVC – Length 150 cm, CH 25, sterile | |
| 074.0007 | SoftCase carrying bag | |
| | For safe transportation of a home care pump and accessories – With 2 carrying straps for attachment to a wheelchair or as a backpack and handle | |
| 074.0017 | Car connection cable | |
| | For operating the Clario AC/DC pump in the car – 12V DC cable | |

Vario 18 and Vario 18 c/i



Vario 18 is an efficient high-vacuum medical suction pump. All pumps offer low noise levels, reliable performance and mobility. Variable vacuum levels are easy to adjust by pressing and turning the knob. Settings are precise, and the safety push-buttons also prevent accidental re-adjustment. The battery versions can be used for portability, patient transport or in areas with no power sockets.

| | Vacuum se | ettings: | Flow: |
|---------------|-----------|-----------|----------|
| Vario 18 c/i: | -55 kPa | -413 mmHg | 18 l/min |
| Vario 18: | -75 kPa | -563 mmHg | 18 l/min |

General Accessories

Can be used together with Medela Fluid Collection Systems (Pages 15/16), Tubings (Pages 19/20), Filters (Page 21/22) and Connectors (Page 23)

077.0521

Clamp holder



For attaching suction jars to standard rails

- Polyamid

077.0831

Carrying bag



For safe transportation of the Vario and accessories

- Sturdy carrying case with shoulder strap and pockets

077.0832

Car connection cable



For operating the Vario AC/DC pump in the $\ensuremath{\text{car}}$

- 12V DC cable

Basic



The **Basic** provides reliable and simple suction. This pump is suitable for all suctioning needs in the hospital, clinic or doctor's practice. The Basic keeps it simple with an intuitive handling that always delivers a high suction capacity due to the reliable piston/cylinder technology.

General Accessories

Can be used together with Medela Vacuum Assisted Delivery System (Pages 17/18), Fluid Collection Systems (Pages 15/16), Tubings (Pages 19/20), Filters (Pages 21/22) and Connectors (Page 23)

017.0015

Apgar Timer

medela 🗗

For reliable notification to perform Apgar tests

- Battery operated
- Acoustic signal after 1, 5 and 10 minutes
- Can be attached to standard rails

077.0521

Clamp holder



For attaching suction jars to standard rails

- Polyamid

077.0723

Foot on/off switch



For turning the Basic on/off

- Cable length 3.5 m

077.0731

Foot vacuum regulator



- For regulating the vacuum of the Basic
- Can be attached to standard Medela suction jars
- With hook and clamp holder for easy attachment to standard rails when not in use

077.0751

Tubing holder, left

077.0752

Tubing holder, right



For attaching tubing to standard rails

- With secure attachment screw
- For either right or left-sided attachment

Dominant Flex



The **Dominant Flex** offers adjustment of flow: 50 l/min (standard operation), 40 l/min (whisper mode) or 60 l/min (turbo mode). The Dominant Flex can be used as a reliable and hygienic solution for general suction or as a backup to wall suction in the hospital, ambulatory surgery center, clinic and doctors' practice. The Dominant Flex's housing design, CleanTouch buttons and the location of its operating elements help reduce the time necessary for cleaning.

Vacuum settings:

Flow:

max. - 95 kPa

40 l/min, 50 l/min, 60 l/min

General Accessories

Can be used together with Medela Vacuum Assisted Delivery System (Pages 17/18), Fluid Collection Systems (Pages 15/16), Tubings (Pages 19/20), Filters (Pages 21/22) and Connectors (Page 23)

-713 mmHg

077.0521

Clamp holder



For attaching suction jars to standard rails

- Polyamid

077.0723

Foot on/off switch



For turning the Dominant Flex on/off

- Cable length 3.5 m

077.0731

Foot vacuum regulator



- For regulating the vacuum of the Dominant Flex
- Can be attached to standard Medela suction jars
- With hook and clamp holder for easy attachment to standard rails when not in use

077.0751 077.0752

Tubing holder, left

Tubing holder, right



For attaching tubing to standard rails

- With secure attachment screw
- For either right or left-sided attachment

Thopaz+

Digital Chest Drainage and Monitoring System*



Medela's **Thopaz+** takes chest drainage therapy to a new level of care. Unlike analogue systems, it reliably regulates the applied pressure at the patients chest and digitally monitors air leak, drained fluid and pressure to improve decision making for chest tube management.

Vacuum settings: Flow: max. -10 kPa $\leq 5 l/min$

*Monitoring of fluid drainage, air leak and pressure

Thopaz+ Disposables

| Thopaz+ Disposables | | |
|---------------------|-------------------------------------------------------------------------------------------------------------------------|---------------|
| 079.0011 | Canister without solidifier, 0.31 | |
| 079.0016 | Canister without solidifier, 0.81 | |
| 079.0018 | Canister without solidifier, 2.01 | |
| | Standard canisters for the collection of fluids – Antifoaming – Sterile | \times |
| 079.0012 | Canister with solidifier, 0.31 | |
| 079.0017 | Canister with solidifier, 0.81 | |
| 079.0019 | Canister with solidifier, 2.01 | |
| | For the collection of fluids. Additionally provides a hygienic and a cost effective disposal. – Antifoaming – Sterile | |
| 079.0021 | Tubing, single | |
| 079.0022 | Tubing, double | |
| 10/8- | – Sterile – Length 1.5 m | ② |
| 079.0023 | Tubing with small connector, single | |
| 079.0024 | Tubing with small connector, double | |
| 109 | For the connection to small drains – Sterile – Length 1.5 m | (2) |

| 079.0025 | Tubing with large connector, single | |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 079.0026 | Tubing with large connector, double | |
| | For the connection to large drains - Sterile - Length 1.5 m | |
| 079.0039 | Sealing cap | |
| | For closing an unused connection – Sterile | (2) |
| 101039326 | Tubing extension, 1 line | |
| | For more flexible placement of the device (longer tubing) and easy tubing manipulation – Sterile – Silicone material – Distributed in box with 15 pcs | |
| 101039327 | Tubing extension, 3 lines | |
| | For connecting 3 drainage lines with one Thopaz+ device - Sterile - Silicone material - Distributed in box with 10 pcs | ② |

Thopaz+ Accessories

The accessories provide options for charging the battery, carrying and attaching Thopaz+ on rails, beds and IV poles. For a correct and safe operation use Thopaz+ with these accessories only.

| • | |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| 087.0059 | Wall mains adapter |
| | For charging the battery – With different plugs (Euro-UK-US-AUS/NZ) |
| 079.0037 | Docking station |
| | For safe placement of Thopaz* and charging the battery – Can be attached to standard rails, beds* and IV poles* *using a holder with standard rail |
| 079.0038 | Adapter docking station for Thopaz+ canister 2 liter |
| | To secure the 21 canister in position |
| 079.0036 | Holder with standard rail |
| | For the easy attachment of Thopaz on rails, beds, IV poles – Can be fixed in a vertical or horizontal position |
| 079.0040 | Universal holder with flexible standard rail |
| 15 | For the easy attachment of Thopaz+ on rails, beds, IV poles – Stepless adjustment of the inclination of the rail (360°) |
| 079.0034 | USB cable |
| 6 | For the connection of Thopaz ⁺ to the PC - Type: 2.0 A/M- Mini B/M |
| 079.1006 | Carrying strap |

For carrying Thopaz+

Invia Liberty, Invia Motion and Invia Dressing Kits*



Medela offers efficient Negative Pressure Wound Therapy solutions, simplifying the delivery and management of NPWT – making it easier for healthcare professionals to help their patients heal.

Medela offers a full range of accessories for its NPWT solutions.

* Medela NPWT solutions are currently not available in all markets.

Invia Liberty Accessories

087.0031

Carrying case



Designed for discreet and convenient pump transportation

- Easy opening for canister changes
- Accessible display even when the bag is closed
- WxHxD: 215x160x95mm

079.0037

Docking station



- Convenient placement and removal for easy pump charging
- Can be placed on level surface or clamped to a rail
- W x H x D: 210 x 85 x 130 mm

079.0036

Holder with standard rail

- Length: approx. 20.5 cm



087.0059

Liberty/Thopaz+/Thopaz mains adapter/charger



For charging the battery

- With different plugs (Euro-GB-US-AUS/NZ)

101034390

Plug attachment for Liberty/Thopaz+ mains adapter/charger



- Euro plug attachment

Invia Liberty Disposables

087.0012 087.0017

Canister, 300 ml

Canister, 800 ml



- Two available sizes (300 ml and 800 ml) for maximum flexibility
- Built-in bacteria filter
- Self-sealing filter protects pump from liquids
- Built-in solidifier for convenient disposal
- Sterile, for single use

087.0025

Tubing with Quick-connector



- Double lumen tubing for active exudate management and pressure control
- Tubing with Quick-connector for easy and secure attachment



Invia Motion Accessories

087.4003

Carrying case



The Invia Motion System is intended to be worn in the carrying case during operation

- The carrying case is provided with the Invia Motion System
- Shoulder/belt strap included
- WxHxD: 120x210x60 mm

101033647

Motion mains adapter/charger



- With different plugs (Euro-GB)
- Power supply provided in the Invia Motion starter kit; replacement available separately
- Only use Medela provided power supply with Invia Motion devices

Invia Motion Disposables

087.4016

Canister/tubing set 0.15 l




Fast canister change with one movement

- Disposable canister/tubing Set
- Available size: 150 ml
- Sterile, for single use
- With solidifier
- Usable canister capacity $0.15\,L$
- Length of tubing: approx. 150 cm



Invia Dressing Kits Available in select markets only

| (S |
|----------|
| (S |
| (5 |
| <u> </u> |
| |
| |
| |
| |
| |
| |
| (2) |
| |
| |
| 2 |
| |
| 2 |
| |



Medela DCS



Medela's Disposable Collection System (DCS) supports the safe collection and disposal of suctioned fluids.

Disposable Collection System

077.0082 Suction jar PC for disposable liners, 1.51 077.0085 Suction jar PC for disposable liners, 2.51



Reusable jars for holding disposable liners

- Made of unbreakable and easy to clean polycarbonate
- Sizes: 1.5 and 2.5 liter



077.0083 Disposable suction liners, 1.51 077.0086 Disposable suction liners, 2.51



Disposable solution for collecting secretions

- 2 layered foil with integrated overflow protection and lid
- Sizes: 1.5 and 2.5 liter



077.0084 Disposable suction liners with solidfier, 1.51 077.0087 Disposable suction liners with solidfier, 2.51



Disposable solution for collecting secretions

- 2 layered foil with integrated overflow protection and lid
- Contains solidifier for leak-proof transport and disposal
- Sizes: 1.5 and 2.5 liter



077.0094 Disposable specimen cup



For collecting tissue samples

- Can be attached to patient connection of lid
- Made of polypropylene
- Package of 10 pcs



077.0188 Trolley



For use with Medela Fluid Collection Systems

- Holds up to 5 suction jars/liners
- Mobile with 5 castors (with brakes)
- Dimensions: $85 \times 60 \times 60 \text{ cm}$

Medela RCS



The Medela Reusable Collection System (RCS), made out of durable, high quality components, facilitates the collection of suctioned fluids.

Reusable Collection System

| 077.0125 | Suction jar, PSU, 0.25 l |
|----------|--------------------------|
| 077.0155 | Suction jar, PSU, 0.51 |
| 077.0110 | Suction jar, PSU, 1 l |
| 077.0120 | Suction jar, PSU, 21 |
| 077.0130 | Suction jar, PSU, 31 |
| 077.0150 | Suction jar, PSU, 51 |



Reusable jar for collecting suctioned secretions

- Made of unbreakbable polysulfone with easy-to-read white graduation
- Sizes 0.25, 0.5, 1, 2, 3 and 5 liter



| 077.0420 | Lid large, Ø 6–10 mm |
|----------|-----------------------|
| 077.0430 | Lid large, Ø 10–14 mm |



Lid for reusable jars

- Lid with seal for use with the suction jars 1, 2, 3 and 5 liter with overflow protection device
- Either with Ø 6–10 mm or 10–14 mm conical patient connection



077.0440 Lid small



Lid for reusable jars (0.25 and 0.51)

- Lid with seal for use with the suction jars 0.25 and 0.5 liter
- \varnothing 6–10 mm conical patient connection and overflow protection device



| 077.0702 | Reusable set, suction jar PSU, 21 | |
|----------|-----------------------------------|--|
| 077.0701 | Reusable set, suction jar PSU, 21 | |
| 077.0703 | Reusable set, suction jar PSU, 31 | |
| 077.0705 | Reusable set, suction jar PSU, 51 | |



Complete set reusable for collecting secretions consists of:

- Suction jar, PSU, lid with conical patient connection Ø 6−10 mm and overflow protection device, plastic clamp holder
- Disposable tubing 180 cm with fingertip (077.0951) must be ordered separately.
- Sizes: 1, 2, 3 and 5 liter

| 077.0562 | Disposable specimen cup, Ø 6–10 mm | |
|----------|-------------------------------------|--|
| 077.0564 | Disposable specimen cup, Ø 10–14 mm | |
| | For collecting tissue samples | |



- Can be attached to patient connection of lid
- Made of polypropylene
- Package of 10 pcs

Medela VAD



The Medela Vacuum Assisted Delivery System (VAD) is an individual and efficient system for safe interventions. Together with the Medela Basic suction pump and the choice of rigid or soft, reusable or disposable suction cups and a wide range of accessories, it delivers safe, individualised assistance.

Disposable Suction Cups

077.0791

Single Use Silc Cup



- Attaches gently to fetal scalp
- Smooth surface with longitudinal ridge makes it possible to observe rotation
- Sterile with 150 cm tubing
- Size: Ø 60 mm

077.0792

Single Use Bird Cup



- Polycarbonate version of the reusable Bird Cup
- Traction handle can be tilted for use when the fetus is in the occiputo-anterior or posterior position
- Sterile with 150 cm tubing
- Size: Ø 50 mm



Accessories

017.0015

Apgar Timer



For reliable notification to perform Apgar tests

- Battery operated
- Acoustic signal after 1, 5 and 10 minutes
- Can be attached to standard rails

| Reusable Suction Cups | s | |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 077.0176 | Malmström Cup, Ø 50 mm | |
| 077.0175 | Malmström Cup, Ø 60 mm | |
| | Autoclavable stainless steel Used when the fetus is in the occiputo-anterior position Cup design allows for good seal to help minimise pop-offs Sizes: Ø 50 and 60 mm | Antonian |
| 077.0173 | Bird Cup, Ø 40 mm | |
| 077.0172 | Bird Cup, Ø 50 mm | |
| 077.0171 | Bird Cup, Ø 60 mm | |
| O poor | Autoclavable stainless steel Based on the design of the Malmström Cup, with separate suction and traction ports Sizes: Ø 40, 50 or 60 mm | AMTOONE J |
| 077.0174 | Bird Posterior Cup | |
| | Autoclavable stainless steel Especially designed for use when the fetus is in the occiputo-posterior position Vacuum port on side of suction cup and low profile to ensure easier insertion Size: Ø 50 mm | AUTOCLASE |
| 077.0761 | Silc Cup, Ø 50 mm, blue | |
| 077.0762 | Silc Cup, Ø 60 mm, yellow | |
| | Soft suction cup for vacuum assisted delivery — With silicone tubing, 1.5 m and 1 coupling piece — Sizes: Ø 50 and 60 mm | √ |
| 077.0078 | Silc Cup with trumpet valve | |
| Hamo | Attach gently to fetal scalp One-piece design for easy handling and use Smooth surface with longitudinal ridge makes it possible to observe rotation Size: Ø 60 mm | Autocont. |
| 077.0080 | CaesAid cup for Caesarean sections | |
| 0 | Autoclavable medical grade silicone Gentle support for delivering fetal head during Caesarean sections Can be attached to the pump used for suctioning during the operation | AUTOCLAVE |



- Can be attached to the pump used for suctioning during the operation.
- Size: Ø 60 mm

Tubings

For hygienic transportation of secretions, reliable tubings complete the high quality system. Depending on the application, Medela offers various materials, diameters and connection pieces with the tubing.

Silicone Tubings

| 077.0901 | Silicone tubing, 1 m | |
|----------|-----------------------------------------------------------------------------|-----------|
| 077.0902 | Silicone tubing, 2 m | |
| 077.0905 | Silicone tubing, 5 m | |
| 077.0900 | Silicone tubing, 25 m | |
| | – Ø 7 x 12 mm – Lengths 1, 2, 5, or 25 m | AUTOCIANE |
| 077.0912 | Silicone tubing with 1 coupling piece, 60 cm | |
| 077.0913 | Silicone tubing with 1 coupling piece, 100 cm | |
| | — Ø 7 x 12 mm — Lengths 60 or 100 cm | AUTOCIANE |
| 077.0922 | Silicone tubing with 2 coupling pieces, 60 cm | |
| 077.0921 | Silicone tubing with 2 coupling pieces, 30 cm | |
| de anne | – Ø 7 x 12 mm – Lengths 30 or 60 cm | AUTOCIANE |
| 077.0931 | Silicone tubing with 1 coupling piece and 1 coupling piece 90° angle, 25 cm | |
| 077.0185 | Silicone tubing with 1 coupling piece and 1 coupling piece 90° angle, 60 cm | |
| | – Ø 7 x 12 mm – Length 25 or 60 cm | AUTOCIANE |
| 077.0970 | Silicone tubing | |
| | Ø 5 x 10 mm Length 25 m | AUTOCIAVE |

Disposable Tubing

077.0951

Disposable tubing with fingertip



- PVC, sterile
- $\emptyset 6 \times 9 \, mm$
- Length 180 cm



077.0952

Disposable tubing with funnel connectors, non-sterile, 180 cm



- with one funnel connection
- $\ \emptyset \ 5.5 \ x \ 8.5 \ mm$
- Length 180 cm



077.0184

Disposable tubing with universal connectors



For use with Single Use Bird Cup or reusable Bird Cups

- PVC, sterile
- $\emptyset 5.5 \times 8.3 \, mm$
- Length 150 cm



Filters

Customise your suction system according to your hygienic needs with filters. They are used to prevent bacteria and virus growth, the development of odours or for overflow protection.

Filters with Overflow Protection

| 101035263 | Virus filter with overflow protection, Medela connections | |
|-----------|---------------------------------------------------------------|--|
| 101035264 | Virus filter with overflow protection, conical connections | |
| | | |
| 077.0571 | Bacteria filter with overflow protection, Medela connections | |
| 077.0572 | Bacteria filter with overflow protection, conical connections | |
| | | |
| 077.0573 | Bacteria filter, Medela connections | |
| lip . | | |
| 101035265 | Virus filter, Medela connections | |
| Ú) | | |
| 077.0575 | Bacteria/odour filter, Medela connections | |
| | | |

Connections

Connecting tubings to each other or to accessories often requires connection pieces. These have been carefully developed to fulfill the requirements for a tight connection and an easy fit.

Reusable and Disposable Connections

077.1017 Double conical coupling piece Connects tubings to each other - Polypropylene – Package of 10 pcs 077.1018 Coupling piece Connects tubing to Medela connections (lid, change-over-valve, etc.) - Polyoxymethylen with 2 blue silicone o-rings – Package of 10 pcs 077.1019 Coupling piece 90° Connects tubing to Medela connections (lid, change-over-valve, etc.) - Polyoxymethylen with 2 blue silicone o-rings - Package of 10 pcs 077.1020 Y-piece For attaching 2 tubings to the same vacuum source - Polypropylene - Package of 10 pcs

Notes



CAUTION: Federal law restricts this device so sale by or on the order of a health professional.

Please contact us or your local Medela representative for details.

Medela AG
Lättichstrasse 4b
6340 Baar
Switzerland
www.medela.com

Local contact

© Medela AG/200.2952/2022-11/F